The Journal of Cell Biology

Volume 107, 1988



Edited in cooperation with
The American Society for Cell Biology
Published monthly by
The Rockefeller University Press
Copyediting and Production
Sara Kreisler Schiff,
Elisa A Garcia,
and Hilary A. McKenna

Editor-in-Chief

Norton B. Gilula

Associate Editors

Günter Blobel
Joseph Gall
Luis Glaser
Thomas Pollard
Kai Simons
Harold Weintraub

Editorial Board

Qais Al-Awqati
Richard G. W. Anderson
Helen Blau
Paul Bornstein
David Botstein
Dennis Bray
Charles Brokaw
Donald Cleveland
Sara Courtneidge
Susan W. Craig
David J. DeRosier
Michael Edidin
Elaine Fuchs
Larry Gerace
John Glenney
Leland Hartwell
Tony Hunter
Stuart Kornfeld
Uli Laemmli
Elias Lazarides
J. Richard McIntosh
Ira Mellman
Douglas B. Murphy
Bernardo Nadal-Ginard
Mary Lou Pardue
Lou Reichardt
Daniel B. Rifkin
Erkki Ruoslahti
Randy W. Schekman
Victor Small
Bruce M. Spiegelman
Joan A. Steitz
Jean-Paul Thiery
Shirley Tilghman
Robert L. Trelstad
Robert Waterston
Sally H. Zigmond

Copyright © 1988 by The Rockefeller University Press

Contents:

Volume 107, Number 1, July 1988

1 **A profusion of controls.** M. Kozak

9 **Selective excision of the centromere chromatin complex from *Saccharomyces cerevisiae*.** M. Kenna, E. Amaya, and K. Bloom

17 **Identification and characterization of a yeast nucleolar protein that is similar to a rat liver nucleolar protein.** J. P. Aris and G. Blobel

33 **Electron microscopic visualization of sites of nascent DNA synthesis by streptavidin–gold binding to biotinylated nucleotides incorporated in vivo.** K. T. Hiriyanna, J. Varkey, M. Beer, and R. M. Benbow

45 **Protein kinase activity associated with stored messenger ribonucleoprotein particles of *Xenopus* oocytes.** A. Cummings and J. Sommerville

57 **A trypsin-sensitive receptor on membrane vesicles is required for nuclear envelope formation in vitro.** K. L. Wilson and J. Newport

69 **Integration of membrane proteins into the endoplasmic reticulum requires GTP.** C. Wilson, T. Connolly, T. Morrison, and R. Gilmore

79 **Recycling glycoproteins do not return to the *cis*-Golgi.** J. J. Neefjes, J. M. H. Verkerk, H. J. G. Broxterman, G. A. van der Marel, J. H. van Boom, and H. L. Ploegh

89 **Differential effects of mutations in three domains on folding, quaternary structure, and intracellular transport of vesicular stomatitis virus G protein.** R. W. Doms, A. Ruusala, C. Machamer, J. Helenius, A. Helenius, and J. K. Rose

101 **Increased amounts of HMG-CoA reductase induce karmellae: a proliferation of stacked membrane pairs surrounding the yeast nucleus.** R. Wright, M. Basson, L. D'Ari, and J. Rine

115 **Yeast vacuoles fragment when microtubules are disrupted.** B. A. Guthrie and W. Wickner

121 **Purification and characterization of a basal body–associated Ca^{2+}-binding protein.** B. Huang, D. M. Watterson, V. D. Lee, and M. J. Schibler

133 **Molecular cloning of cDNA for caltractrin, a basal body–associated Ca^{2+}-binding protein: homology in its protein sequence with calmodulin and the yeast *CDC31* gene product.** B. Huang, A. Mengersen, and V. D. Lee

141 **Mutations that encode partially functional β2 tubulin subunits have different effects on structurally different microtubule arrays.** M. T. Fuller, J. H. Caulton, J. A. Hutchens, T. C. Kaufman, and E. C. Raff

153 **Identification of new actin-associated polypeptides that are modified by viral transformation and changes in cell shape.** C. Shapland, P. Lowings, and D. Lawson

163 **Isolation and characterization of monoclonal antibodies directed against plant plasma membrane and cell wall epitopes: identification of a monoclonal antibody that recognizes extensin and analysis of the process of epitope biosynthesis in plant tissues and cell cultures.** D. J. Meyer, C. L. Afonso, and D. W. Galbraith

177 **Monoclonal antibodies directed against the sexual binding site of *Chlamydomonas eugametos* gametes.** W. Homan, A. Musgrave, H. de Nobel, R. Wagter, D. de Wit, A. Kolk, and H. van den Ende

191 **Properties and topography of the major integral plasma membrane protein of a unicellular organism.** R. R. Dubreuil, T. K. Rosiere, M. C. Rosner, and G. B. Bouck

201 **How actin binds and assembles onto plasma membrane from *Dictyostelium discoideum*.** M. A. Schwartz and E. J. Luna

211 **Ultrastructure of the calcium release channel of sarcoplasmic reticulum.** A. Saito, M. Inui, M. Radermacher, J. Frank, and S. Fleischer

221 **Penetration of *Salmonella* through a polarized Madin–Darby canine kidney epithelial cell monolayer.** B. B. Finlay, B. Gumbiner, and S. Falkow

231 **Identification of albumin-binding proteins in capillary endothelial cells.** N. Ghinea, A. Fixman, D. Alexandru, D. Popov, M. Hasu, L. Ghitescu, M. Eskenasy, M. Simionescu, and N. Simionescu

241 **Communication compartments in the gastrulating mouse embryo.** G. H. Kalimi and C. W. Lo

257 **A novel methodology for analysis of cell distribution in chimeric mouse organs using a strain specific antibody.** M. Kusakabe, M. Yokoyama, T. Sakakura, T. Nomura, H. L. Hosick, and Y. Nishizuka

267 **Regulation of agrin-induced acetylcholine receptor aggregation by Ca^{++} and phorbol ester.** B. G. Wallace

279 **A growth factor repressible gene associated with protein kinase C–mediated inhibition of adipocyte differentiation.** M. Navre and G. M. Ringold

287 **Autocrine stimulation by the v-*sis* gene product requires a ligand–receptor interaction at the cell surface.** M. Hannink and D. J. Donoghue

299 **Cell cycle versus density dependence of smooth muscle alpha actin expression in cultured rat aortic smooth muscle cells.** R. S. Blank, M. M. Thompson, and G. K. Owens

307 **Diverse effects of fibronectin and laminin on phenotypic properties of cultured arterial smooth muscle cells.** U. Hedin, B. A. Bottger, E. Forsberg, S. Johansson, and J. Thyberg

321 **Lymphocyte function–associated antigen-1 (LFA-1) interaction with intercellular adhesion molecule-1 (ICAM-1) is one of at least three mechanisms for lymphocyte adhesion to cultured endothelial cells.** M. L. Dustin and T. A. Springer

333 **Comparison of the effects of nerve growth factor, activators of protein kinase C, and a calcium ionophore on the expression of THY-1 and N-CAM in PC12 cell cultures.** P. Doherty, D. A. Mann, and F. S. Walsh

341 **Studies of adhesion molecules mediating interactions between cells of peripheral nervous system indicate a major role for L1 in mediating sensory neuron growth on Schwann cells in culture.** B. Seilheimer and M. Schachner

353 **Identification of the major proteins that promote neuronal process outgrowth on Schwann cells in vitro.** J. L. Bixby, J. Lilien, and L. F. Reichardt

363 **Biochemical and functional responses stimulated by platelet-activating factor in murine peritoneal macrophages.** V. Prpic, R. J. Uhing, J. E. Weiel, L. Jakoi, G. Gawdi, B. Herman, and D. O. Adams

373 **1,25-Dihydroxyvitamin D_3 increases the toxicity of hydrogen peroxide in the human monocytic line U937: the role of calcium and heat shock.** B. S. Polla, J. V. Bonventre, and S. M. Krane

381 **Placement Service Notices**

Volume 107, Number 2, August 1988

397 **The fates of chicken nuclear lamin proteins during mitosis: evidence for a reversible redistribution of lamin B_2 between inner nuclear membrane and elements of the endoplasmic reticulum.** R. Stick, B. Angres, C. F. Lehner, and E. A. Nigg

407 **Localization of protamine 1 mRNA in different stages of the cycle of the rat seminiferous epithelium.** P. Mali, M. Sandberg, E. Vuorio, P. C. Yelick, N. B. Hecht, and M. Parvinen

413 **Unequal synthesis and differential degradation of α and β spectrin during murine erythroid differentiation.** M. E. Lehnert and H. F. Lodish

427 **The use of monospecific antisera and cRNA probes to localize the major changes in keratin expression during normal and abnormal epidermal differentiation.** A. Stoler, R. Kopan, M. Duvic, and E. Fuchs

447 **Human interleukin 1β is not secreted from hamster fibroblasts when expressed constitutively from a transfected cDNA.** P. R. Young, D. J. Hazuda, and P. L. Simon

457 **Signals for the incorporation and orientation of cytochrome P450 in the endoplasmic reticulum membrane.** S. Monier, P. Van Luc, G. Kreibich, D. D. Sabatini, and M. Adesnik

471 **A specific sorting signal is not required for the polarized secretion of newly synthesized proteins from cultured intestinal epithelial cells.** M. J. Rindler and M. G. Traber

481 **Coupling membranes as energy-transmitting cables. I. Filamentous mitochondria in fibroblasts and mitochondrial clusters in cardiomyocytes.** A. A. Amchenkova, L. E. Bakeeva, Y. S. Chentsov, V. P. Skulachev, and D. B. Zorov

497 **Coupling membranes as energy-transmitting cables. II. Cyanobacterial trichomes.** I. I. Severina, V. P. Skulachev, and D. B. Zorov

503 **Topogenesis of mitochondrial inner membrane uncoupling protein. Rerouting transmembrane segments to the soluble matrix compartment.** X. Liu, A. W. Bell, K. B. Freeman, and G. C. Shore

511 **Identification of diphtheria toxin receptor and a nonproteinous diphtheria toxin–binding molecule in *Vero* cell membrane.** E. Mekada, Y. Okada, and T. Uchida

521 **Signal transduction in *Dictyostelium FGD* A mutants with a defective interaction between surface cAMP receptor and a GTP-binding regulatory protein.** F. Kesbeke, B. E. Snaar-Jagalska, and P. J. M. Van Haastert

529 **Concurrent changes in *Dunaliella salina* ultrastructure and membrane phospholipid metabolism after hyperosmotic shock.** K. J. Einspahr, M. Maeda, and G. A. Thompson, Jr.

539 **Evidence for involvement of metalloendoproteases in a step in sea urchin gamete fusion.** J. L. Roe, H. A. Farach, Jr., W. J. Strittmatter, and W. J. Lennarz

545 **Immunolocalization of meta-vinculin in human smooth and cardiac muscles.** A. M. Belkin, O. I. Ornatsky, M. A. Glukhova, and V. E. Koteliansky

555 **Localization of phospholamban in smooth muscle using immunogold electron microscopy.** D. G. Ferguson, E. F. Young, L. Raeymaekers, and E. G. Kranias

563 **Differential localization of tropomyosin isoforms in cultured nonmuscle cells.** J. J.-C. Lin, T. E. Hegmann, and J. L.-C. Lin

573 **Analysis of the upstream regions governing expression of the chicken cardiac troponin T gene in embryonic cardiac and skeletal muscle cells.** J. H. Mar, P. B. Antin, T. A. Cooper, and C. P. Ordahl

587 **Posttranslational incorporation of contractile proteins into myofibrils in a cell-free system.** M. Bouché, S. M. Goldfine, and D. A. Fischman

597 **Three-dimensional reconstruction of an actin bundle.** E. S. A. Bullitt, D. J. DeRosier, L. M. Coluccio, and L. G. Tilney

613 **Two classes of actin microfilaments are associated with the inner cytoskeleton of axons.** K. R. Fath and R. J. Lasek

623 **The mechanism of anaphase spindle elongation: uncoupling of tubulin incorporation and microtubules sliding during in vitro spindle reactivation.** H. Masuda, K. L. McDonald, and W. Z. Cande

635 **The centrin-based cytoskeleton of *Chlamydomonas reinhardtii*: distribution in interphase and mitotic cells.** J. L. Salisbury, A. T. Baron, and M. A. Sanders

643 **PC12 cells express juvenile microtubule-associated proteins during nerve growth factor–induced neurite outgrowth.** B. Brugg and A. Matus

651 **Microtubule dynamics in nerve cells: analysis using microinjection of biotinylated tubulin into PC12 cells.** S. Okabe and N. Hirokawa

665 **Tension and compression in the cytoskeleton of PC-12 neurites II: quantitative measurements.** T. J. Dennerll, H. C. Joshi, V. L. Steel, R. E. Buxbaum, and S. R. Heidemann

675 **Distribution of the myelin-associated glycoprotein and P_0 protein during myelin compaction in quaking mouse peripheral nerve.** B. D. Trapp

687 **Isolation and characterization of a laminin-binding protein from rat and chick muscle.** D. E. Hall, K. A. Frazer, B. C. Hann, and L. F. Reichardt

699 **Amino acid sequence and distribution of mRNA encoding a major skeletal muscle laminin binding protein: an extracellular matrix-associated protein with an unusual COOH-terminal polyaspartate domain.** D. O. Clegg, J. C. Helder, B. C. Hann, D. E. Hall, and L. F. Reichardt

707 **Distribution and role in regeneration of N-CAM in the basal laminae of muscle and Schwann cells.** F. Rieger, M. Nicolet, M. Pincon-Raymond, M. Murawsky, G. Levi, and G. M. Edelman

721 **Type VIII collagen has a restricted distribution in specialized extracellular matrices.** R. Kapoor, L. Y. Sakai, S. Funk, E. Roux, P. Bornstein, and E. H. Sage

731 **The extracellular matrix of *Xenopus laevis* eggs: a quick-freeze, deep-etch analysis of its modification at fertilization.** C. A. Larabell and D. E. Chandler

743 **Endothelial cell–derived heparan sulfate binds basic fibroblast growth factor and protects it from proteolytic degradation.** O. Saksela, D. Moscatelli, A. Sommer, and D. B. Rifkin

753 **Metabolism of receptor-bound and matrix-bound basic fibroblast growth factor by bovine capillary endothelial cells.** D. Moscatelli

761 **Cell surface fibroblast growth factor and epidermal growth factor receptors are permanently lost during skeletal muscle terminal differentiation in culture.** B. B. Olwin and S. D. Hauschka

771 **Transforming growth factor-β–induced growth inhibition and cellular hypertrophy in cultured vascular smooth muscle cells.** G. K. Owens, A. A. T. Geisterfer, Y. W.-H. Yang, and A. Komoriya

781 **Tumor necrosis factor and immune interferon act in concert to slow the lateral diffusion of proteins and lipids in human endothelial cell membranes.** A. H. Stolpen, D. E. Golan, and J. S. Pober

791 **Two independent mechanisms for escaping epidermal growth factor–mediated growth inhibition in epidermal growth factor receptor–hyperproducing human tumor cells.** M. Hirai, S. Gamou, S. Minoshima, and N. Shimizu

801 **Anomalous binding of epidermal growth factor to A431 cells is due to the effect of high receptor densities and a saturable endocytic system.** H. S. Wiley

811 **Focal expression of insulin-like growth factor I in rat kidney collecting duct.** J. D. Bortz, P. Rotwein, D. DeVol, P. J. Bechtel, V. A. Hansen, and M. R. Hammerman

821 **Correction**

Volume 107, Number 3, September 1988

Mini-Review

829 ***fos* protooncogene and the regulation of gene expression in adipocyte differentiation.** B. M. Spiegelman, R. J. Distel, H. S. Ro, B. Rosen, and B. Satterberg

Regular Articles

833 **A major 62-kD intranuclear matrix polypeptide is a component of metaphase chromosomes.** A. P. Fields and J. H. Shaper

841 **The nucleoplasmin nuclear location sequence is larger and more complex than that of SV-40 large T antigen.** C. Dingwall, J. Robbins, S. M. Dilworth, B. Roberts, and W. D. Richardson

851 **A membrane glycoprotein, Sec12p, required for protein transport from the endoplasmic reticulum to the Golgi apparatus in yeast.** A. Nakano, D. Brada, and R. Schekman

865 **Cell surface expression of glycosylated, nonglycosylated, and truncated forms of a cytoplasmic protein pyruvate kinase.** S. W. Hiebert and R. A. Lamb

877 **Deep-etch visualization of proteins involved in clathrin assembly.** J. E. Heuser and J. Keen

887 **A prelysosomal compartment sequesters membrane-impermeant fluorescent dyes from the cytoplasmic matrix of J774 macrophages.** T. H. Steinberg, J. A. Swanson, and S. C. Silverstein

897 **Identification of peroxisomal targeting signals located at the carboxy terminus of four peroxisomal proteins.** S. J. Gould, G.-A. Keller, and S. Subramani

907 **Biogenesis of thylakoid membranes is controlled by light intensity in the conditional chlorophyll b-deficient CD3 mutant of wheat.** K. D. Allen, M. E. Duysen, and L. A. Staehelin

921 **Lateral segregation of neutrophil chemotactic receptors into actin- and fodrin-rich plasma membrane microdomains depleted in guanyl nucleotide regulatory proteins.** A. J. Jesaitis, G. M. Bokoch, J. O. Tolley, and R. A. Allen

929 **Immunocytochemical evidence for translocation of protein kinase C in human megakaryoblastic leukemic cells: synergistic effects of Ca^{2+} and activators of protein kinase C on the plasma membrane association.** T. Ito, T. Tanaka, T. Yoshida, K. Onoda, H. Ohta, M. Hagiwara, Y. Itoh, M. Ogura, H. Saito, and H. Hidaka

939 **A431 cell variants lacking the blood group A antigen display increased high affinity epidermal growth factor–receptor number, protein–tyrosine kinase activity, and receptor turnover.** L. H. K. Defize, D. J. Arndt-Jovin, T. M. Jovin, J. Boonstra, J. Meisenhelder, T. Hunter, H. T. de Hey, and S. W. de Laat

951 **Response of neutrophils to stimulus infusion: differential sensitivity of cytoskeletal activation and oxidant production.** G. M. Omann and L. A. Sklar

959 **Human immunodeficiency virus infection of T cells and monocytes proceeds via receptor-mediated endocytosis.** C. D. Pauza and T. M. Price

969 **Cross-linking of IgE–receptor complexes by rigid bivalent antigens >200 Å in length triggers cellular degranulation.** P. M. Kane, D. Holowka, and B. Baird

981 **Aldolase exists in both the fluid and solid phases of cytoplasm.** L. Pagliaro and D. L. Taylor

993 **Long-lasting and rapid calcium changes during mitosis.** R. R. Ratan, F. R. Maxfield, and M. L. Shelanski

1001 **Characterization of the microtubule-activated ATPase of brain cytoplasmic dynein (MAP 1C).** H. S. Shpetner, B. M. Paschal, and R. B. Vallee

1011 **Fluorescent microtubules break up under illumination.** G. P. A. Vigers, M. Coue, and J. R. McIntosh

1025 **Laser-transected microtubules exhibit individuality of regrowth, however most free new ends of the microtubules are stable.** W. Tao, R. J. Walter, and M. W. Berns

1037 **Organization of the actin filament cytoskeleton in the intestinal brush border: a quantitative and qualitative immunoelectron microscope study.** D. Drenckhahn and R. Dermietzel

1139 **Induction of phosphorylation and cell surface redistribution of acetylcholine receptors by phorbol ester and carbamylcholine in cultured chick muscle cells.** A. Ross, M. Rapuano, and J. Prives

1147 **Metabolic stability and antigenic modulation of nicotinic acetylcholine receptors on bovine adrenal chromaffin cells.** L. S. Higgins and D. K. Berg

1157 **Cyclic AMP-dependent mechanism regulates acetylcholine receptor function on bovine adrenal chromaffin cells and discriminates between new and old receptors.** L. S. Higgins and D. K. Berg

1167 **Neuron/glia relationships observed over intervals of several months in living mice.** S. L. Pomeroy and D. Purves

1177 **N-cadherin, NCAM, and integrins promote retinal neurite outgrowth on astrocytes in vitro.** K. M. Neugebauer, K. J. Tomaselli, J. Lilien, and L. F. Reichardt

1189 **Attachment to an endogenous laminin-like protein initiates sprouting by leech neurons.** M. Chiquet, L. Masuda-Nakagawa, and K. Beck

1199 **Autocrine activities of basic fibroblast growth factor: regulation of endothelial cell movement, plasminogen activator synthesis, and DNA synthesis.** Y. Sato and D. B. Rifkin

1207 **Expression of apolipoprotein E by cultured vascular smooth muscle cells is controlled by growth state.** R. A. Majack, C. K. Castle, L. V. Goodman, K. H. Weisgraber, R. W. Mahley, E. M. Shooter, and P. J. Gebicke-Haerter

1215 **Fibronectin and vitronectin regulate the organization of their respective Arg-Gly-Asp adhesion receptors in cultured human endothelial cells.** E. Dejana, S. Colella, G. Conforti, M. Abbadini, M. Gaboli, and P. C. Marchisio

1225 **Synergism between membrane gangliosides and Arg-Gly-Asp–directed glycoprotein receptors in attachment to matrix proteins by melanoma cells.** G. F. Burns, C. M. Lucas, G. W. Krissansen, J. A. Werkmeister, D. B. Scanlon, R. J. Simpson, and M. A. Vadas

1231 **Synthetic peptide GRGDS induces dissociation of alpha-actinin and vinculin from the sites of focal contacts.** S. K. Stickel and Y.-l. Wang

1241 **Purification and characterization of mammalian integrin expressed by a rat neuronal cell line (PC12): evidence that they function as α/β heterodimeric receptors for laminin and type IV collagen.** K. J. Tomaselli, C. H. Damsky, and L. F. Reichardt

1253 **A novel synthetic peptide from the B1 chain of laminin with heparin-binding and cell adhesion–promoting activities.** A. S. Charonis, A. P. N. Skubitz, G. G. Koliakos, L. Reger, J. Dege, A. M. Vogel, R. Wohlhueter, and L. T. Furcht

1261 **Correction**

1263 **Correction**

1265 **Placement Service Notices**

1049 **Organization of desmosomal plaque proteins in cells growing at low calcium concentrations.** R. Duden and W. W. Franke

1065 **Sequence and developmental expression of mRNA coding for a gap junction protein in *Xenopus*.** R. L. Gimlich, N. M. Kumar, and N. B. Gilula

1075 **Studies on cardiac myofibrillogenesis with antibodies to titin, actin, tropomyosin, and myosin.** S.-M. Wang, M. L. Greaser, E. Schultz, J. C. Bulinski, J. J.-C. Lin, and J. L. Lessard

1085 **Posttranscriptional control of embryonic rat skeletal muscle protein synthesis. Control at the level of translation by endogenous RNA.** C. R. Vanderburg and M. A. Nathanson

1099 **The structure of the membrane systems in a novel muscle cell modified for heat production.** B. A. Block and C. Franzini-Armstrong

1113 **Acetylcholine receptor–associated 43K protein contains covalently bound myristate.** L. S. Musil, C. Carr, J. B. Cohen, and J. P. Merlie

1123 **Arrangement of the acetylcholine receptor subunits in the resting and desensitized states, determined by cryoelectron microscopy of crystallized *Torpedo* postsynaptic membranes.** N. Unwin, C. Toyoshima, and E. Kubalek

---

Volume 107, Number 4, October 1988

Mini-Review

1269 **Cachectin/tumor necrosis factor exerts endocrine, paracrine, and autocrine control of inflammatory responses.** B. Sherry and A. Cerami

Regular Articles

1279 **The effects of variations in the number and sequence of targeting signals on nuclear uptake.** S. I. Dworetzky, R. E. Lanford, and C. M. Feldherr

1289 **A monoclonal antibody against the nuclear pore complex inhibits nucleocytoplasmic transport of protein and RNA in vivo.** C. Featherstone, M. K. Darby, and L. Gerace

1299 **Annulate lamellae: comparison of antigenic epitopes of annulate lamellae membranes with the nuclear envelope.** T.-Y. Chen and E. M. Merisko

1307 **Incorporation of a product of mevalonic acid metabolism into proteins of Chinese hamster ovary cell nuclei.** L. A. Beck, T. J. Hosick, and M. Sinensky

1317 **Expression of a testis-specific hsp70 gene–related RNA in defined stages of rat seminiferous epithelium.** Z. Krawczyk, P. Mali, and M. Parvinen

1325 ***N-myc* proto-oncogene expression during organogenesis in the developing mouse as revealed by in situ hybridization.** G. Mugrauer, F. W. Alt, and P. Ekblom

1337 **Isolation, sequence, and differential expression of a human K7 gene in simple epithelial cells.** C. Glass and E. Fuchs

1351 **Signal transduction by glycophorin A: role of extracellular and cytoplasmic domains in a modulatable process.** J. A. Chasis, M. E. Reid, R. H. Jensen, and N. Mohandas

1359 **Characterization of a renal tubular epithelial cell line which secretes the autologous target antigen of autoimmune experimental interstitial nephritis.** T. P. Haverty, C. J. Kelly, W. H. Hines, P. S. Amenta, M. Watanabe, R. A. Harper, N. A. Kefalides, and E. G. Neilson

1369 **Organelle assembly in yeast: characterization of yeast mutants defective in vacuolar biogenesis and protein sorting.** L. M. Banta, J. S. Robinson, D. J. Klionsky, and S. D. Emr

1385 **Fibronectin receptor exhibits high lateral mobility in embryonic locomoting cells but is immobile in focal contacts and fibrillar streaks in stationary cells.** J.-L. Duband, G. H. Nuckolls, A. Ishihara, T. Hasegawa, K. M. Yamada, J. P. Thiery, and K. Jacobson

1397 **Acetylcholine receptors and concanavalin A–binding sites on cultured *Xenopus* muscle cells: electrophoresis, diffusion, and aggregation.** J. Stollberg and S. E. Fraser

1409 **Functions of microtubules in the *Saccharomyces cerevisiae* cell cycle.** C. W. Jacobs, A. E. M. Adams, P. J. Szaniszlo, and J. R. Pringle

1427 **Truncation of the carboxy-terminal domain of yeast β-tubulin causes temperature-sensitive growth and hypersensitivity to antimitotic drugs.** F. Matsuzaki, S. Matsumoto, and I. Yahara

1437 **Dynamic instability of individual microtubules analyzed by video light microscopy: rate constants and transition frequencies.** R. A. Walker, E. T. O'Brien, N. K. Pryer, M. F. Soboeiro, W. A. Voter, H. P. Erickson, and E. D. Salmon

1449 **Tau proteins: the molecular structure and mode of binding on microtubules.** N. Hirokawa, Y. Shiomura, and S. Okabe

1461 **The unusual microtubule polarity in teleost retinal pigment epithelial cells.** L. L. Troutt and B. Burnside

1465 **Reconstitution of protein transport from the endoplasmic reticulum to the Golgi complex in yeast: the acceptor Golgi compartment is defective in the *sec23* mutant.** H. Ruohola, A. K. Kabcenell, and S. Ferro-Novick

1477 **Microheterogeneity of actin gels formed under controlled linear shear.** J. D. Cortese and C. Frieden

1489 **Proteins regulating actin assembly in oogenesis and early embryogenesis of *Xenopus laevis*: gelsolin is the major cytoplasmic actin-binding protein.** T. Ankenbauer, J. A. Kleinschmidt, J. Vandekerckhove, and W. W. Franke

1499 **Functional alterations in β′-actin from a KB cell mutant resistant to cytochalasin B.** S. Toyama and S. Toyama

1505 **Actions of cytochalasins on the organization of actin filaments and microtubules in a neuronal growth cone.** P. Forscher and S. J Smith

1517 **The association of prosomes with some of the intermediate filament networks of the animal cell.** M.-F. Grossi de Sa, C. Martins de Sa, F. Harper, M. Olink-Coux, M. Huesca, and K. Scherrer

1531 **K-252a, a potent protein kinase inhibitor, blocks nerve growth factor–induced neurite outgrowth and changes in the phosphorylation of proteins in PC12h cells.** S. Hashimoto

1541 **Evidence that an RGD-dependent receptor mediates the binding of oligodendrocytes to a novel ligand in a glial-derived matrix.** M. C. Cardwell and L. H. Rome

1551 **RGD-containing peptides inhibit the synthesis of myelin-like membrane by cultured oligodendrocytes.** M. C. Cardwell and L. H. Rome

1561 **Sequence of contactin, a 130-kD glycoprotein concentrated in areas of interneuronal contact, defines a new member of the immunoglobin supergene family in the nervous system.** B. Ranscht

1575 **The role of the cell adhesion molecule uvomorulin in the formation and maintenance of the epithelial junctional complex.** B. Gumbiner, B. Stevenson, and A. Grimaldi

1589 **Role of laminin and basement membrane in the morphological differentiation of human endothelial cells into capillary-like structures.** Y. Kubota, H. K. Kleinman, G. R. Martin, and T. J. Lawley

1599 **High resolution immunoelectron microscopic localization of functional domains of laminin, nidogen, and heparan sulfate proteoglycan in epithelial basement membrane of mouse cornea reveals different topological orientations.** J. C. Schittny, R. Timpl, and J. Engel

1611 **Basic fibroblast growth factor from human keratinocytes is a natural mitogen for melanocytes.** R. Halaban, R. Langdon, N. Birchall, C. Cuono, A. Baird, G. Scott, G. Moellmann, and J. McGuire

1621 **Correction**

Volume 107, Number 5, November 1988

1623 **Changes in cyclin/proliferating cell nuclear antigen distribution during DNA repair synthesis.** L. Toschi and R. Bravo

1629 **The nuclear matrix protein, numatrin (B23), is associated with growth factor–induced mitogenesis in Swiss 3T3 fibroblasts and with T lymphocyte proliferation stimulated by lectins and anti–T cell antigen receptor antibody.** N. Feuerstein, S. Spiegel, and J. J. Mond

1643 **Identification, by a monoclonal antibody, of a 53-kD protein associated with a tubulo-vesicular compartment at the *cis*-side of the Golgi apparatus.** A. Schweizer, J. Fransen, T. Bächi, L. Ginsel, and H. P. Hauri

1655 **Inhibition of tyrosine sulfation in the *trans*-Golgi retards the transport of a constitutively secreted protein to the cell surface.** E. Friederich, H.-J. Fritz, and W. B. Huttner

1669 **Alcohol oxidase expressed under nonmethylotrophic conditions is imported, assembled, and enzymatically active in peroxisomes of *Hansenula polymorpha*.** B. Distel, I. Van Der Leÿ, M. Veenhuis, and H. F. Tabak

1677 **Topogenic analysis of the human immunodeficiency virus type 1 envelope glycoprotein, gp160, in microsomal membranes.** O. K. Haffar, D. J. Dowbenko, and P. W. Berman

1689 **Direct observation of the budding and fusion of an enveloped virus by video microscopy of viable cells.** T. Bächi

1697 **Primary sequence domains required for the retention of rotavirus VP7 in the endoplasmic reticulum.** M. S. Poruchynsky and P. H. Atkinson

1707 **The M protein of vesicular stomatitis virus associates specifically with the basolateral membranes of polarized epithelial cells independently of the G protein.** J. E. Bergmann and P. J. Fusco

1717 **Exocytosis of vacuolar apical compartment (VAC): a cell–cell contact controlled mechanism for the establishment of the apical plasma membrane domain in epithelial cells.** D. E. Vega-Salas, P. J. I. Salas, and E. Rodriguez-Boulan

1729 **Binding and transcytosis of glycoalbumin by the microvascular endothelium of the murine myocardium: evidence that glycoalbumin behaves as a bifunctional ligand.** D. Predescu, M. Simionescu, N. Simionescu, and G. E. Palade

1739 **Arrangement of myosin heads on *Limulus* thick filaments.** R. J. C. Levine, P. D. Chantler, and R. W. Kensler

1749 **Structural and immunological characterization of the myosin-like 110-kD subunit of the intestinal microvillar 110K-calmodulin complex: evidence for discrete myosin head and calmodulin-binding domains.** J. M. Carboni, K. A. Conzelman, R. A. Adams, D. A. Kaiser, T. D. Pollard, and M. S. Mooseker

1759 **Sequence of human villin: a large duplicated domain homologous with other actin-severing proteins and a unique small carboxy-terminal domain related to villin specificity.** M. Arpin, E. Pringault, J. Finidori, A. Garcia, J.-M. Jeltsch, J. Vandekerckhove, and D. Louvard

1767 **Sertoli cell processes have axoplasmic features: an ordered microtubule distribution and an abundant high molecular weight microtubule-associated protein (cytoplasmic dynein).** M. D. Neely and K. Boekelheide

1777 **The reorganization of microfilaments, centrosomes, and microtubules during in vitro small wound reendothelialization.** M. K. K. Wong and A. I. Gotlieb

1785 **The role of kinesin and other soluble factors in organelle movement along microtubules.** T. A. Schroer, B. J. Schnapp, T. S. Reese, and M. P. Sheetz

1793 **The isolated β-heavy chain subunit of dynein translocates microtubules in vitro.** W. S. Sale and L. A. Fox

1799 **Structure of the γ heavy chain of the outer arm dynein from *Chlamydomonas* flagella.** S. M. King and G. B. Witman

1809 **Immunogold localization of the regulatory subunit of a type II cAMP-dependent protein kinase tightly associated with mammalian sperm flagella.** S. J. Lieberman, W. Wasco, J. MacLeod, P. Satir, and G. A. Orr

1817 **Topological distribution of two connexin32 antigenic sites in intact and split rodent hepatocyte gap junctions.** D. A. Goodenough, D. L. Paul, and L. Jesaitis

1825 **Motor neurons contain agrin-like molecules.** C. Magill-Solc and U. J. McMahan

1835 **Mapping of a cell-binding domain in the cell adhesion molecule gp80 of *Dictyostelium discoideum*.** R. K. Kamboj, L. M. Wong, T. Y. Lamb, and C.-H. Siu

1845 **Evolutionary conservation of tissue-specific lymphocyte–endothelial cell recognition mechanisms involved in lymphocyte homing.** N. W. Wu, S. Jalkanen, P. R. Streeter, and E. C. Butcher

1853 **Immunohistologic and functional characterization of a vascular addressin involved in lymphocyte homing into peripheral lymph nodes.** P. R. Streeter, B. T. N. Rouse, and E. C. Butcher

1863 **Functionally distinct laminin receptors mediate cell adhesion and spreading: the requirement for surface galactosyltransferase in cell spreading.** R. B. Runyan, J. Versalovic, and B. D. Shur

1873 **Macrophage interactions with laminin: PMA selectively induces the adherence and spreading of mouse macrophages on a laminin substratum.** A. M. Mercurio and L. M. Shaw

1881 **The function of multiple extracellular matrix receptors in mediating cell adhesion to extracellular matrix: preparation of monoclonal antibodies to the fibronectin receptor that specifically inhibit cell adhesion to fibronectin and react with platelet glycoproteins Ic-IIa.** E. A. Wayner and W. G. Carter; and R. S. Piotrowicz and T. J. Kunicki

1893 **Oligospecificity of the cellular adhesion receptor MAC-1 encompasses an inducible recognition specificity for fibrinogen.** D. C. Altieri, R. Bader, P. M. Mannucci, and T. S. Edgington

1901 **A role for glyceraldehyde-3-phosphate dehydrogenase in the development of thermotolerance in *Xenopus laevis* embryos.** R. W. Nickells and L. W. Browder

1911 **Differentiation of cardiac myocytes after mitogen withdrawal exhibits three sequential states of the ventricular growth response.** H. Ueno, M. B. Perryman, R. Roberts, and M. D. Schneider

1919 **Human epithelial cells induce human melanocyte growth in vitro but only skin keratinocytes regulate its proper differentiation in the absence of dermis.** M. De Luca, F. D'Anna, S. Bondanza, A. T. Franzi, and R. Cancedda

1927 **An unusual strain of human keratinocytes which do not stratify or undergo terminal differentiation in culture.** J. C. Adams and F. M. Watt

1939 **Arterial smooth muscle cells in vivo: relationship between actin isoform expression and mitogenesis and their modulation by heparin.** A. W. Clowes, M. M. Clowes, O. Kocher, P. Ropraz, C. Chaponnier, and G. Gabbiani

1947 **Induction of platelet-derived growth factor receptor expression in smooth muscle cells and fibroblasts upon tissue culturing.** L. Terracio, L. Rönnstrand, A. Tingström, K. Rubin, L. Claesson-Welsh, K. Funa, and C.-H. Heldin

1959 **Altered structure of the hybrid cell surface proteoglycan of mammary epithelial cells in response to transforming growth factor-β.** S. Rasmussen and A. Rapraeger

1969 **Accumulation, localization, and compartmentation of transforming growth factor β during endochondral bone development.** J. L. Carrington, A. B. Roberts, K. C. Flanders, N. S. Roche, and A. H. Reddi

1977 **Antigenic and functional characterization of a rat central nervous system–derived cell line immortalized by a retroviral vector.** H. M. Geller and M. Dubois-Dalcq

1987 **Identification of a tumor cell receptor for VGVAPG, an elastin-derived chemotactic peptide.** C. H. Blood, J. Sasse, P. Brodt, and B. R. Zetter

1995 **Ultrastructure of type VI collagen in human skin and cartilage suggests an anchoring function for this filamentous network.** D. R. Keene, E. Engvall, and R. W. Glanville

2007 **Placement Service Notices**

Volume 107, Number 6, Part 1, December 1988

2009 **Nuclear and cytoplasmic mitotic cycles continue in *Drosophila* embryos in which DNA synthesis is inhibited with aphidicolin.** J. W. Raff and D. M. Glover

2021 **Monoclonal antibodies to a membrane glycoprotein induce the phosphorylation of histone H1 in sea urchin spermatozoa.** V. D. Vacquier, G. W. Moy, J. S. Trimmer, Y. Ebina, and D. C. Porter

2029 **Integral membrane proteins specific to the inner nuclear membrane and associated with the nuclear lamina.** A. Senior and L. Gerace

2037 **A chimeric mitochondrial precursor protein with internal disulfide bridges blocks import of authentic precursors into mitochondria and allows quantitation of import sites.** D. Vestweber and G. Schatz

2045 **Mitochondria can import artificial precursor proteins containing a branched polypeptide chain or a carboxy-terminal stilbene disulfonate.** D. Vestweber and G. Schatz

2051 **70-kD heat shock–related protein is one of at least two distinct cytosolic factors stimulating protein import into mitochondria.** H. Murakami, D. Pain, and G. Blobel

2059 **Addition of carbohydrate side chains at novel sites on influenza virus hemagglutinin can modulate the folding, transport, and activity of the molecule.** P. Gallagher, J. Henneberry, I. Wilson, J. Sambrook, and M.-J. Gething

2075 **Alphavirus RNA replicase is located on the cytoplasmic surface of endosomes and lysosomes.** S. Froshauer, J. Kartenbeck, and A. Helenius

2087 **Retrovirus-mediated expression of preprosomatostatin: posttranslational processing, intracellular storage, and secretion in GH_3 pituitary cells.** T. J. Stoller and D. Shields

2097 **Inhibition of early but not late proteolytic processing events leads to the missorting and oversecretion of precursor forms of lysosomal enzymes in *Dictyostelium discoideum*.** J. M. Richardson, N. A. Woychik, D. L. Ebert, R. L. Dimond, and J. A. Cardelli

2109 **A quantitative model of traffic between plasma membrane and secondary lysosomes: evaluation of inflow, lateral diffusion, and degradation.** J.-P. Draye, P. J. Courtoy, J. Quintart, and P. Baudhuin

2117 **The dynamics of exocytosis in human neutrophils.** O. Nüße and M. Lindau

2125 **$p60^{c\text{-}src}$ is complexed with a cellular protein in subcellular compartments involved in exocytosis.** C. Grandori and H. Hanafusa

2137 **Thyrotropin induces the acidification of the secretory granules of parafollicular cells by increasing the chloride conductance of the granular membrane.** J. Barasch, M. D. Gershon, E. A. Nunez, H. Tamir, and Q. Al-Awqati

2149 **Selective degradation of T cell antigen receptor chains retained in a pre-Golgi compartment.** C. Chen, J. S. Bonifacino, L. C. Yuan, and R. D. Klausner

2163 **Secreted hepatitis B surface antigen polypeptides are derived from a transmembrane precursor.** K. Simon, V. R. Lingappa, and D. Ganem

2169 **Molecular immunocytochemistry of the CuZn superoxide dismutase in rat hepatocytes.** L.-Y. Chang, J. W. Slot, H. J. Geuze, and J. D. Crapo

2181 **Modulation of cellular morphology and locomotory activity by antibodies against myosin.** B. Höner, S. Citi, J. Kendrick-Jones, and B. M. Jockusch

2191 **The expression of slow myosin during mammalian somitogenesis and limb bud differentiation.** E. Vivarelli, W. E. Brown, R. G. Whalen, and G. Cossu

2199 **Architecture of the sarcomere matrix of skeletal muscle: immunoelectron microscopic evidence that suggests a set of parallel inextensible nebulin filaments anchored at the Z line.** K. Wang and J. Wright

2213 **Association of microinjected myosin and its subfragments with myofibrils in living muscle cells.** C. S. Johnson, N. M. McKenna, and Y.-L. Wang

2223 **Real-time observations of microtubule dynamic instability in living cells.** L. Cassimeris, N. K. Pryer, and E. D. Salmon

2233 **Formation of membrane networks in vitro by kinesin-driven microtubule movement.** R. D. Vale and H. Hotani

2243 **Calmodulin stabilization of kinetochore microtubule structure to the effect of nocodazole.** S. C. Sweet, C. M. Rogers, and M. J. Welsh

2253 **Mutations at twelve independent loci result in absence of outer dynein arms in *Chlamydomonas reinhardtii*.** R. Kamiya

2259 **Release of intact microtubule-capping structures from *Tetrahymena* cilia.** K. A. Suprenant and W. L. Dentler

2271 **Isolation and characterization of the mouse acetylcholine receptor delta subunit gene: identification of a 148-bp *cis*-acting region that confers myotube-specific expression.** T. J. Baldwin and S. J. Burden

2281 **Glioblastoma infiltration into central nervous system tissue in vitro, involvement of a metalloprotease.** P. A. Paganetti, P. Caroni, and M. E. Schwab

2293 **The adhesive and neurite-promoting molecule p30: analysis of the amino-terminal sequence and production of antipeptide antibodies that detect p30 at the surface of neuroblastoma cells and of brain neurons.** H. Rauvala, J. Merenmies, R. Pihlaskari, M. Korkolainen, M.-L. Huhtala, and P. Panula

2307 **Requirements for the Ca^{2+}-independent component in the initial intercellular adhesion of C2 myoblasts.** J. A. Pizzey, G. E. Jones, and F. S. Walsh

2319 **Echinonectin: a new embryonic substrate adhesion protein.** M. C. Alliegro, C. A. Ettensohn, C. A. Burdsal, H. P. Erickson, and D. R. McClay

2329 **Functional mapping of cytotactin: proteolytic fragments active in cell–substrate adhesion.** D. R. Friedlander, S. Hoffman, and G. M. Edelman

2341 **Tenascin during gut development: appearance in the mesenchyme, shift in molecular forms, and dependence on epithelial–mesenchymal interactions.** E. Aufderheide and P. Ekblom

2351 **Cell attachment to thrombospondin: the role of ARG-GLY-ASP, calcium, and integrin receptors.** J. Lawler, R. Weinstein, and R. O. Hynes

2363 **Selective anchoring in the specific plasma membrane domain: a role in epithelial cell polarity.** P. J. I. Salas, D. E. Vega-Salas, J. Hochman, E. Rodriquez-Boulan, and M. Edidin

2377 **The polarized distribution of an apical cell surface glycoprotein is maintained by interactions with the cytoskeleton of Madin–Darby canine kidney cells.** G. K. Ojakian and R. Schwimmer

2389 **Localization of the tight junction protein, ZO-1, is modulated by extracellular calcium and cell–cell contact in Madin–Darby canine kidney epithelial cells.** J. D'Angelo Siliciano and D. A. Goodenough

2401 **Tight junction structure and ZO-1 content are identical in two strains of Madin–Darby canine kidney cells which differ in transepithelial resistance.** B. R. Stevenson, J. M. Anderson, D. A. Goodenough, and M. S. Mooseker

2409 **Development of morphological and functional polarity in primary cultures of immature rat uterine epithelial cells.** S. R. Glasser, J. Julian, G. L. Decker, J.-P. Tang, and D. D. Carson

2425 **Vectorial secretion of proteoglycans by polarized rat uterine epithelial cells.** D. D. Carson, J.-P. Tang, J. Julian, and S. R. Glasser

2437 **In vivo invasion of modified chorioallantoic membrane by tumor cells: the role of cell surface–bound urokinase.** L. Ossowski

2447 **Hierarchies of protein cross-linking in the extracellular matrix: involvement of an egg surface transglutaminase in early stages of fertilization envelope assembly.** D. E. Battaglia and B. M. Shapiro

2455 **Developmentally regulated synthesis of a low molecular weight protein (Ch 21) by differentiating chondrocytes.** F. Descalzi Cancedda, P. Manduca, C. Tacchetti, P. Fossa, R. Quarto, and R. Cancedda

2465 **Correction**

2467 **Correction**

2469 **Correction**

Volume 107, Number 6, Part 2, December 1988

2473 **Characterization of phosphorylation sites in histone H1 in the amitotic macronucleus of *Tetrahymena* during different physiological states.** S. Y. Roth, I. G. Schulman, R. Richman, R. G. Cook, and C. D. Allis

2483 **Import pathways of precursor proteins into mitochondria: multiple receptor sites are followed by a common membrane insertion site.** R. Pfaller, H. F. Steger, J. Rassow, N. Pfanner, and W. Neupert

2491 **The sorting of mannose 6-phosphate receptors and lysosomal membrane proteins occurs in endocytic vesicles.** H. J. Geuze, W. Stoorvogel, G. J. Strous, J. W. Slot, J. Zijderhand-Bleekemolen, and I. Mellman

2503 **Differential arrest of secretory protein transport in cultured rat hepatocytes by azide treatment.** R. Persson, E. Ahlström, and E. Fries

2511 **Fusion of liposomes with the plasma membrane of epithelial cells: fate of incorporated lipids as followed by freeze fracture and autoradiography of plastic sections.** G. Knoll, K. N. J. Burger, R. Bron, G. van Meer, and A. J. Verkleij

2523 **Immunocytochemistry of calciosomes in liver and pancreas.** S. Hashimoto, B. Bruno, D. P. Lew, T. Pozzan, P. Volpe, and J. Meldolesi

2533 **Intracellular elevations of free calcium induced by activation of histamine H1 receptors in interphase and mitotic HeLa cells: hormone signal transduction is altered during mitosis.** M. Volpi and R. D. Berlin

2541 **Measurement of the cytoplasmic pH of *Dictyostelium discoideum* using a low light level microspectrofluorometer.** R. Furukawa, J. E. Wampler, and M. Fechheimer

2551 **Yeast actin-binding proteins: evidence for a role in morphogenesis.** D. G. Drubin, K. G. Miller, and D. Botstein

2563 **The actin filament content of hair cells of the bird cochlea is nearly constant even though the length, width, and number of stereocilia vary depending on the hair cell location.** L. G. Tilney and M. S. Tilney

2575 **Sequential activation of α-actin genes during avian cardiogenesis: vascular smooth muscle α-actin gene transcripts mark the onset of cardiomyocyte differentiation.** D. L. Ruzicka and R. J. Schwartz

2587 **Structural evidence for direct interaction between the molecular components of the transverse tubule/sarcoplasmic reticulum junction in skeletal muscle.** B. A. Block, T. Imagawa, K. P. Campbell, and C. Franzini-Armstrong

2601 **Molecular and ultrastructural defects in a *Drosophila* myosin heavy chain mutant: differential effects on muscle function produced by similar thick filament abnormalities.** P. T. O'Donnell and S. I. Bernstein

2613 ***Ifm(2)2* is a myosin heavy chain allele that disrupts myofibrillar assembly only in the indirect flight muscle of *Drosophila melanogaster*.** M. Chun and S. Falkenthal

2623 **Spatial pattern of myosin phosphorylation in contracting smooth muscle cells: evidence for contractile zones.** J. P. Bennett, R. A. Cross, J. Kendrick-Jones, and A. G. Weeds

2631 **The dynamic distribution of fluorescent analogues of actin and myosin in protrusions at the leading edge of migrating Swiss 3T3 fibroblasts.** R. L. DeBiasio, L.-L. Wang, G. W. Fisher, and D. Lansing Taylor

2647 **Estramustine binds a MAP-1–like protein to inhibit microtubule assembly in vitro and disrupt microtubule organization in DU 145 cells.** M. E. Stearns, M. Wang, K. D. Tew, and L. I. Binder

2657 **Inhibition of kinesin-driven microtubule motility by monoclonal antibodies to kinesin heavy chains.** A. L. Ingold, S. A. Cohn, and J. M. Scholey

2669 **Identification and localization of a novel, cytoskeletal, centrosome-associated protein in PtK_2 cells.** A. T. Baron and J. L. Salisbury

2679 **Fractionation of *Tetrahymena* ciliary membranes with Triton X-114 and the identification of a ciliary membrane ATPase.** W. L. Dentler

2689 **Multiple phosphorylated variants of the high molecular mass subunit of neurofilaments in axons of retinal cell neurons: characterization and evidence for their differential association with stationary and moving neurofilaments.** S. E. Lewis and R. A. Nixon

2703 **Isolation and chemical characterization of Alzheimer's disease paired helical filament cytoskeletons: differentiation from amyloid plaque core protein.** A. E. Roher, K. C. Palmer, V. Chau, and M. J. Ball

2717 **Synaptophysin (p38) at the frog neuromuscular junction: its incorporation into the axolemma and recycling after intense quantal secretion.** F. Valtorta, R. Jahn, R. Fesce, P. Greengard, and B. Ceccarelli

2729 **τ-Crystallin/α-enolase: one gene encodes both an enzyme and a lens structural protein.** G. J. Wistow, T. Lietman, L. A. Williams, S. O. Stapel, W. W. de Jong, J. Horwitz, and J. Piatigorsky

2737 **Unique distribution of the extracellular matrix component thrombospondin in the developing mouse embryo.** K. S. O'Shea and V. M. Dixit

2749 **Amino acid sequence and domain structure of entactin. Homology with epidermal growth factor precursor and low density lipoprotein receptor.** M. E. Durkin, S. Chakravarti, B. B. Bartos, S.-H. Liu, R. L. Friedman, and A. E. Chung

2757 **Induction of tenascin in healing wounds.** E. J. Mackie, W. Halfter, and D. Liverani

2769 **Correction**

2773 **Author Index for Volume 107**

2787 **Subject Index for Volume 106**

2793 **Subject Index for Volume 107**

2623 **Spatial pattern of myosin phosphorylation in contracting smooth muscle cells: evidence for contractile zones.** J. P. Bennett, R. A. Cross, J. Kendrick-Jones, and A. G. Weeds

2631 **The dynamic distribution of fluorescent analogues of actin and myosin in protrusions at the leading edge of migrating Swiss 3T3 fibroblasts.** R. L. DeBiasio, L.-L. Wang, G. W. Fisher, and D. Lansing Taylor

2647 **Estramustine binds a MAP-1–like protein to inhibit microtubule assembly in vitro and disrupt microtubule organization in DU 145 cells.** M. E. Stearns, M. Wang, K. D. Tew, and L. I. Binder

2657 **Inhibition of kinesin-driven microtubule motility by monoclonal antibodies to kinesin heavy chains.** A. L. Ingold, S. A. Cohn, and J. M. Scholey

2669 **Identification and localization of a novel, cytoskeletal, centrosome-associated protein in PtK_2 cells.** A. T. Baron and J. L. Salisbury

2679 **Fractionation of *Tetrahymena* ciliary membranes with Triton X-114 and the identification of a ciliary membrane ATPase.** W. L. Dentler

2689 **Multiple phosphorylated variants of the high molecular mass subunit of neurofilaments in axons of retinal cell neurons: characterization and evidence for their differential association with stationary and moving neurofilaments.** S. E. Lewis and R. A. Nixon

2703 **Isolation and chemical characterization of Alzheimer's disease paired helical filament cytoskeletons: differentiation from amyloid plaque core protein.** A. E. Roher, K. C. Palmer, V. Chau, and M. J. Ball

2717 **Synaptophysin (p38) at the frog neuromuscular junction: its incorporation into the axolemma and recycling after intense quantal secretion.** F. Valtorta, R. Jahn, R. Fesce, P. Greengard, and B. Ceccarelli

2729 **τ-Crystallin/α-enolase: one gene encodes both an enzyme and a lens structural protein.** G. J. Wistow, T. Lietman, L. A. Williams, S. O. Stapel, W. W. de Jong, J. Horwitz, and J. Piatigorsky

2737 **Unique distribution of the extracellular matrix component thrombospondin in the developing mouse embryo.** K. S. O'Shea and V. M. Dixit

2749 **Amino acid sequence and domain structure of entactin. Homology with epidermal growth factor precursor and low density lipoprotein receptor.** M. E. Durkin, S. Chakravarti, B. B. Bartos, S.-H. Liu, R. L. Friedman, and A. E. Chung

2757 **Induction of tenascin in healing wounds.** E. J. Mackie, W. Halfter, and D. Liverani

2769 **Correction**

2773 **Author Index for Volume 107**

2787 **Subject Index for Volume 106**

2793 **Subject Index for Volume 107**